



The Dow Chemical Company
Midland, Michigan 48674

Material Safety Data Sheet

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Page: 1

24-Hour Emergency Phone Number: 989-636-4400

Product: WOODSTALK(TM) ZS 430 MAPLE FINISHED SHELVING

Product Code: 78586

Effective Date: 12/19/02 Date Printed: 12/21/02 MSD: 007549

The Dow Chemical Company, Midland, MI 48674

Customer Information Center: 800-258-2436

2. COMPOSITION/INFORMATION ON INGREDIENTS

Wheat straw board containing polyurea resin	97%
Vinyl acrylate copolymer	3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

* Board. Color is variable. Characteristic odor. Toxic fumes may *
* be released in fire situations. *

POTENTIAL HEALTH EFFECTS (See Section 11 for toxicological data.)

EYE: Dust generated in processing may cause irritation or corneal injury due to mechanical action.

SKIN: Solid or dusts may cause skin irritation due to mechanical abrasion. No adverse effects anticipated by skin absorption.

INGESTION: Swallowing is unlikely because of the physical state.

INHALATION: Dust generated by mechanical handling may cause irritation of the upper respiratory tract (nose and throat).

SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: No relevant information found.

CANCER INFORMATION: No relevant information found.

TERATOLOGY (BIRTH DEFECTS): No relevant information found.

(Continued on page 2 , over)

* OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY



M A T E R I A L S A F E T Y D A T A S H E E T

PAGE: 2

Product: WOODSTALK(TM) ZS 430 MAPLE FINISHED SHELVING

Product Code: 78586

Effective Date: 12/19/02

Date Printed: 12/21/02

MSD: 007549

REPRODUCTIVE EFFECTS: No relevant information found.

4. FIRST AID

EYE: Flush eyes with plenty of water; remove contact lenses after the first 1-2 minutes then continue flushing for several minutes. Only mechanical effects expected.

SKIN: Wash skin with plenty of water.

INGESTION: No emergency medical treatment necessary.

INHALATION: Move person to fresh air; if effects occur, consult a physician.

NOTE TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT: Not applicable.

METHOD USED: Not applicable.

AUTOIGNITION TEMPERATURE: >392F, >200C

FLAMMABILITY LIMITS

LFL: Not applicable.

UFL: Not applicable.

HAZARDOUS COMBUSTION PRODUCTS: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: phenolic compounds, carbon monoxide, carbon dioxide, aromatic hydrocarbons. Combustion products may include trace amounts of: nitrogen oxides, hydrogen cyanide.

OTHER FLAMMABILITY INFORMATION: Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, do not permit dust to accumulate.

EXTINGUISHING MEDIA: Water, dry chemical fire extinguishers and carbon dioxide fire extinguishers.

(Continued on page 3)

* OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

Product: WOODSTALK(TM) ZS 430 MAPLE FINISHED SHELVING

Product Code: 78586

Effective Date: 12/19/02

Date Printed: 12/21/02

MSD: 007549

FIRE FIGHTING INSTRUCTIONS: Keep people away. Isolate fire area and deny unnecessary entry. Soak thoroughly with water to cool and prevent re-ignition. Cool surroundings with water to localize fire zone. Hand held carbon dioxide or dry chemical extinguishers may be used for small fires.

PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting equipment (includes fire fighting helmet, coat, pants, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES (See Section 15 for Regulatory Information)

PROTECT PEOPLE: Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls/Personal Protection.

PROTECT THE ENVIRONMENT: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

CLEANUP: Sweep up. Collect in suitable and properly labeled containers. See Section 13, Disposal Considerations for additional information.

7. HANDLING AND STORAGE

HANDLING: No smoking, open flames or sources of ignition in handling and storage area. Good housekeeping and controlling of dusts are necessary for safe handling of product.

STORAGE: Store flat with adequate support. Store in a dry place. Minimize sources of ignition, such as static buildup, heat, spark or flame. Additional storage information on this product may be obtained by calling your Dow sales or customer service contact. Ask for a product brochure.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.

(Continued on page 4 , over)

* OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

Product: WOODSTALK(TM) ZS 430 MAPLE FINISHED SHELVING

Product Code: 78586

Effective Date: 12/19/02

Date Printed: 12/21/02

MSD: 007549

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION: Use safety glasses. If there is a potential for exposure to particles which could cause mechanical injury to the eye, wear chemical goggles.

SKIN PROTECTION: No precautions other than clean body-covering clothing should be needed.

RESPIRATORY PROTECTION: In dusty or misty atmospheres, use an approved particulate respirator.

EXPOSURE GUIDELINE(S): ACGIH TLV is 10 mg/m³ inhalable, 3 mg/m³ respirable for Particulates (insoluble) Not Otherwise Classified (PNOC). OSHA PEL is 15 mg/m³ total, 5 mg/m³ respirable for PNOC.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Board, color is variable

ODOR: Characteristic odor

VAPOR PRESSURE: Not applicable

VAPOR DENSITY: Not applicable

BOILING POINT: Not applicable

SOLUBILITY IN WATER: Not applicable

SPECIFIC GRAVITY: Not applicable

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Thermally stable at typical use temperatures.

CONDITIONS TO AVOID: Avoid temperatures above 200C (392F).
Exposure to elevated temperatures can cause product to decompose.

INCOMPATIBILITY WITH OTHER MATERIALS: Avoid contact with oxidizing materials and drying agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Decomposition products depend upon temperature, air supply and the presence of other materials.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION (See Section 3 for Potential Health Effects. For detailed toxicological data, write or call the address or non-emergency number shown in Section 1)

(Continued on page 5)

* OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

Product: WOODSTALK(TM) ZS 430 MAPLE FINISHED SHELVING
Product Code: 78586

Effective Date: 12/19/02

Date Printed: 12/21/02

MSD: 007549

MUTAGENICITY: No relevant information found.

12. ECOLOGICAL INFORMATION (For detailed Ecological data, write or call the address or non-emergency number shown in Section 1)

ENVIRONMENTAL FATE

MOVEMENT & PARTITIONING: No bioconcentration is expected because of the relatively high molecular weight (MW >1000). In the terrestrial environment, material is expected to remain in the soil.

DEGRADATION & PERSISTENCE: No appreciable biodegradation is expected.

ECOTOXICITY: Not expected to be acutely toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS (See Section 15 for Regulatory Information)

DISPOSAL: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. THE DOW CHEMICAL COMPANY HAS NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION 2 (Composition/Information On Ingredients).

FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: recycler, reclaimer, incinerator, landfill.

As a service to its customers, Dow can provide lists of companies which recycle, reprocess or manage chemicals or plastics, and companies that manage used drums. Telephone Dow's Customer Information Center at 800-258-2436 or 989-832-1556 for further details.

14. TRANSPORT INFORMATION

DEPARTMENT OF TRANSPORTATION (D.O.T.): This product is not

(Continued on page 6 , over)

* OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

Product: WOODSTALK(TM) ZS 430 MAPLE FINISHED SHELIVING
Product Code: 78586

Effective Date: 12/19/02

Date Printed: 12/21/02

MSD: 007549

regulated by D.O.T. when shipped domestically by land.

CANADIAN TDG INFORMATION: This product is not regulated by TDG
when shipped domestically by land.

**15. REGULATORY INFORMATION (Not meant to be all-inclusive--selected
regulations represented)**

NOTICE: The information herein is presented in good faith and
believed to be accurate as of the effective date shown above. However,
no warranty, express or implied is given. Regulatory requirements
are subject to change and may differ from one location to another;
it is the buyer's responsibility to ensure that its activities comply
with federal, state or provincial, and local laws. The following
specific information is made for the purpose of complying with
numerous federal, state or provincial, and local laws and regulations.
See other sections for health and safety information.

U.S. REGULATIONS
=====

SARA 313 INFORMATION: To the best of our knowledge, this product
contains no chemical subject to SARA Title III Section 313 supplier
notification requirements.

SARA HAZARD CATEGORY: This product has been reviewed according to the
EPA "Hazard Categories" promulgated under Sections 311 and 312 of the
Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and
is considered, under applicable definitions, to meet the following
categories:

Not to have met any hazard category

CALIFORNIA PROPOSITION 65: The following statement is made in order to
comply with the California Safe Drinking Water and Toxic Enforcement Act
of 1986:

This product contains no listed substances known to the State of
California to cause cancer, birth defects or other reproductive harm,
at levels which would require a warning under the statute.

TOXIC SUBSTANCES CONTROL ACT (TSCA):

(Continued on page 7)

* OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

M A T E R I A L S A F E T Y D A T A S H E E T

PAGE: 7

Product: WOODSTALK(TM) ZS 430 MAPLE FINISHED SHELVING
Product Code: 78586

Effective Date: 12/19/02 Date Printed: 12/21/02 MSD: 007549

REGULATORY INFORMATION (CONTINUED)

All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

STATE RIGHT-TO-KNOW: This product is not known to contain any substances subject to the disclosure requirements of

Pennsylvania

OSHA HAZARD COMMUNICATION STANDARD:

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CANADIAN REGULATIONS

=====

WHMIS INFORMATION: The Canadian Workplace Hazardous Materials Information System (WHMIS) Classification for this product is:

This product is exempt under WHMIS.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA):

All substances in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

16. OTHER INFORMATION

MSDS STATUS: New MSDS.

* OR (R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY
The Information Herein Is Given In Good Faith, But No Warranty, Express Or Implied, Is Made. Consult The Dow Chemical Company For Further Information.